B. Claims

The present Amendment has been prepared in accordance with a revised format established by the U.S. Patent and Trademark Office as set forth in the O.G. Notice 1267 Off. Gaz. Pat. Office 106 of February 25, 2003.

Please amend claim 1 as follows. In accordance with the revised amendment format, a complete listing of all the claims appears below; this listing replaces all earlier amendments and listings of the claims.

(Currently Amended) A liquid crystal device comprising:

an upper substrate and a lower substrate; and

nematic liquid crystal sandwiched between said upper and lower substrates;

wherein a direction of uniaxial orientation of liquid crystal molecules on

rubbing alignment layers formed on upper and lower substrates is either parallel or antiparallel; and

wherein a temperature change of a retardation value of said liquid crystal device due to a temperature change of Δn of the liquid crystal composition is reduced only by changing a pre-tilt angle of said liquid crystal molecules device so as to compensate for a change in a birefringence of said nematic liquid crystal due to changes in temperature change the orientation state of said liquid crystal molecules between said upper and lower substrates.

- 2. (Previously Amended) The liquid crystal device according to Claim 1, wherein the refractive index anisotropy of a liquid crystal composition having said nematic liquid crystal as the primary component thereof at 30°C is 0.150 or more, and the pre-tilt angle of liquid crystal molecules at 30°C at the substrate interface is from 10° to 45°.
- 3. (Previously Amended) The liquid crystal device according to Claim 1 or 2, wherein the orientation of said upper and lower substrates is provided by an organic oriented film having a vertical or high pre-tilt angle, providing uniaxiality.

4. (Cancelled)

- 5. (Previously Amended) The liquid crystal device according to Claim 1 or 2, wherein black is displayed by performing phase compensation.
- 6. (Previously Amended) The liquid crystal device according to Claim 1 or 2, using a normally-white mode wherein the high-voltage side of the driving voltage is used as black.

7. - 8. (Cancelled)

9. (Previously Amended) The liquid crystal device according to Claim 1, wherein said liquid crystal device is an electrically controlled birefringence type.

10. - 12. (Cancelled)

13. (Previously Amended) The liquid crystal device according to Claim 3, wherein black is displayed by performing phase compensation.

14. - 15. (Cancelled)

16. (Previously Amended) The liquid crystal device according to Claim 3, using a normally-white mode wherein the high-voltage side of the driving voltage is used as black.